


2020 Model Year Standard Specification



Principal Dimensions

Length overall (incl. pulpit):
60' (18.28m)

Length of hull:
58'8" (17.91m)

Beam (incl. gunwale):
16'3" (4.97m)

Berths:
6 - 7

Draught:
2'6" (0.78m)

Height above waterline
(incl. arch & nav. light mast):
13'8" (4.21m)

Transport height:
16'4" (5.0m)

Dry weight (approx.):
26.62 tonnes / 29.82 US tons (27,051kg)

Fuel capacity:
484 gallons / 581 US gallons (2,200 litres)

Water capacity (incl. calorifier):
132 gallons / 158 US gallons
(600 litres)

Engines & Performance

Twin Volvo Penta D13-900 shaft
drive, diesel (900mhp each):
29 knots (estimated maximum)

Twin Caterpillar C12.9 shaft drive,
diesel (1000mhp each):
31 knots (estimated maximum)

Twin MAN V8 1300 shaft drive, diesel
(1400mhp each):
36 knots (estimated maximum)

Type Approval:
B


Twin Volvo Penta D13-1000 shaft drive,
diesel (1000mhp each):
31 knots (estimated maximum)

Twin MAN V8 1200 shaft drive, diesel
(1200mhp each):
33 knots (estimated maximum)

Max Capacity:
16 persons

Deck Plans

Exterior Deck



Main Deck



Main Deck Beach Club



Lower Deck 3 Cabin



Deck

- | | |
|---|--|
| Anchor chain locker | Self-stowing stainless-steel Delta® anchor |
| Anchor winch (electric) | Stainless steel aft fairleads |
| Anchor winch controls | Stainless steel bow fairleads |
| Calibrated galvanised anchor chain (10mm, 60m length) | Stainless steel bow, spring & stern cleats |
| Carbon fibre ensign staff | Stainless steel rubbing strake with rubber inserts |
| Fender (x8) | Stainless steel pulpit |
| Foredeck drinks holders | Swim ladder to bathing platform |
| Foredeck seating & fixed sunbeds | Teak laid bathing platform |
| Foredeck stowage lockers | Twin horns |
| Fuel fillers | USB socket to foredeck |
| Full set of IMCO navigation lights | Water filler |
| Handrail | Windscreen washers |
| Hot & cold-water transom shower | Windscreen wipers |
| Moulded non-slip deck surface | |
| Remote control searchlight | |
| Riding light | |

Helm Position

| | |
|---|--|
| Adjustable/tilt steering wheel | instrument system with colour display (1 screen as standard, second or third screens optional) |
| Bilge pump switches with integral operating warning lights & audible alarms | Garmin autopilot |
| Black mesh windscreen & forward side window covers | Garmin VHF marine radio |
| Bow thruster control | Garmin tri-data display |
| Controls for engine bay fire extinguisher system | High speed magnetic compass |
| Drinks holders | Power steering |
| Electronic single-lever throttle & gear controls for port & starboard engines | Powered glazed sunroof with internal blind |
| Glass Bridge incorporating full engine instrumentation; tachometers, fuel gauges, temperature gauges, audible alarms, rudder position indicator | Red night-light illumination to helm |
| f-Drive (Fairline multi-function glass bridge) | Remote anchor winch controls |
| Garmin 16' digital multi-function | Searchlight controls |
| | Switchgear |
| | Trim tab controls |
| | Twin helm seats |
| | USB socket |

Electrical Systems

| |
|---|
| 230 - 240V 50Hz |
| All 240V, 24V & 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel |
| Heavy duty circuit breakers |
| Isolating switches to all batteries |
| Onan® 11kW generator |
| 12 Volt |
| Voltage dropper from domestic batteries |

Electrical Systems

Continued

24 Volt

Batteries - 2 x heavy duty batteries exclusively for port engine starting
 Batteries - 2 x heavy duty batteries exclusively for starboard engine starting
 Batteries - 4 x heavy duty batteries wired in parallel supplying domestic services & port engine starting
 Circuit breaker for anchor winch
 Emergency battery coupling system permits each engine to start from opposite battery bank
 Inverter
 Isolation summation transformer

240 Volt

Polarity check & earth leakage protection system
 Power points throughout fed from shore power or generator
 Regulated 75amp charger for domestic batteries
 Shore power supply line

Cockpit

12V heavy duty weatherproof socket
 Access to lazarette or crew cabin
 Access to side decks
 Beach Club area to stern
 Boat hook
 Cockpit bar unit (fridge & sink)
 Cockpit cover (white)
 Deck level lighting
 Deck wash outlet
 Domestic master switch to manual bilge locker
 Drinks holders
 Engine bay access hatch with stainless steel gas struts
 Fairline hi-low Beach Club bathing platform
 Fender stowage

Fusion audio system with wireless connectivity (4 speakers)
 Life raft stowage
 Manual bilge pump
 Mooring warps
 Mooring warp stowage
 Seating
 Single level floor from cockpit to saloon
 Storage lockers
 Teak laid floor throughout Beach Club & self-draining cockpit
 Teak table with drinks holders & incorporated handrail
 Twin transom gates
 Wet stowage locker
 USB socket

Interior Décor

Choice of interior finishes from the Amalfi, Capri, Hamptons or St Tropez interior styling ranges selected by AM Yacht Design and the Fairline Yachts Design Studio

Hullform & Construction

| | |
|---|---|
| Antifouling protection to hull | Feature windows with opening portholes |
| Bow thruster | Full length moulded spray deflectors |
| Deep 'V' hull | Hull colour – white |
| Design, layout & detailing by AM Yacht Design and the Fairline Yachts Design Studio | Hull/deck joint bolted & bonded |
| Naval architecture by J&J | Integrally moulded engine bearers |
| | Resin infused cored hull & liner with hand-laid deck & components |

Dinette

| | |
|--------------------|--|
| Sofa with stowage | 2 x stools with leather retaining straps |
| Fixed height table | |

Saloon

| | |
|--|--|
| LCD TV | Overhead lighting |
| Fusion audio unit with wireless connectivity | Wood flooring |
| Electric hardtop with overhead glazing | Sliding patio door to cockpit with swing up (manual) functionality |
| Fixed height feature coffee table | Feature inlay rug |
| 6 x Tumblers | Venetian blinds |

Galley

| | |
|---|----------------------------------|
| Avonite® work surface | Induction hob |
| Chopping board to sink infill | Integrated waste bin |
| Crockery stowage | Microwave combi oven |
| Melamine Dinner service 24-piece, 6 place settings | Overhead lighting |
| Fire extinguisher | Wood flooring |
| First aid kit | Sink with hot and cold mixer tap |
| Fridge/freezer full height (more fridge than freezer) | stowage cupboard and drawers |
| | Extractor |

Lobby

| | |
|------------------------------------|---------------------------------------|
| Access to electrical control panel | Lighting to stair risers |
| Handrail | Space for optional domestic appliance |

Master Cabin

Aluminium venetian blinds
King bed with storage drawers
Feature windows with opening portholes
Mirror feature to bulkhead
Overhead feature lighting
Reading lights

Wrap around headboard with storage shelves
Sofa with stowage
Vanity unit with stool
Fusion head unit 2x speakers
TV
Wardrobe

Master Cabin

En-suite

Automatic shower tray pump-out system
Electric silent-flush freshwater toilet
Extractor fan
Full set of bathroom fittings
Full standing-height shower with sea and hinged door

Hand basin with hot & cold water
Large hull window with single opening port hole
Mirror
Wood floor

Forward Cabin

Aluminium venetian blinds
Vanity unit
Double bed with single large storage drawers
Escape hatch to foredeck with blackout blind

Feature windows with opening porthole
Reading lights
Wardrobe

Forward Cabin

En-suite

Aluminium venetian blinds
Automatic shower tray pump-out system
Electric silent-flush freshwater toilet
Extractor fan
Solid surface vanity unit locker & basin with hot & cold pressurised water
Full set of bathroom fittings

Full standing-height shower with integral shower tray & adaptable shower head
Hand basin with hot & cold water
Mirror
Mirrored lockers
Overhead lighting
Wood floor

Starboard Guest Cabin

Aluminium venetian blinds
Bedside table
Feature windows with single opening porthole
Full length berths x 2

Wardrobe
Mirror
Overhead lighting
Reading lights

Starboard Guest Cabin

En-suite and Day head

Aluminium venetian blinds

Bedside table

Feature windows with single opening porthole

Full length berths x 2

Mirror

Overhead lighting

Reading lights

Wardrobe

Crew Cabin

Optional

Access from cockpit

Electric silent-flush freshwater toilet

Feature window with blind

Hanging locker

Mirror

Opening porthole

Overhead lighting

Power point

Sink with hot & cold mixer tap

Full length berth with foam mattress

Engines & Sterngear

Automatic bilge pumps for forward bilge, engine bay & rudder bay with manual 'on' override

Automatic engine bay fire extinguisher system

Dripless shaft seals

Electric engine bay fans

Engine air intakes

Engine bay lights

Engine room soundproofing

Exhaust overheat warning system

High capacity emergency manual bilge pump system

Interceptor trim tabs

Manganese bronze 'P' brackets

Manganese bronze propellers contra-rotating

Sea cocks on all inlets/outlets below waterline

Stainless steel alloy shafts

Fuel System

Emergency fuel shut-off valves

High capacity water separators & fuel filters

Individual fillers, vents & splash stops to port & starboard

Twin fuel tanks with balance pipe

Freshwater System

Automatic, pressurised supply

Calorifier hot water system

Water tank – 600 litre capacity

Black Water

Holding tank (170 litre capacity) with electric macerator pump-out

Commissioning

Full Fairline Yacht Division commissioning, pre-delivery inspection & handover at Fairline Yachts Commissioning Centre, Ipswich UK

USA Specifications

Voltage - 2 x 110V (220V) 60Hz

In addition to or in lieu of
those listed above

Whilst every effort is made to keep all sales literature up to date, it should not be regarded as an infallible statement of current specifications & does not constitute an offer for the sale of any particular boat. We continually seek to improve the specification & design of our boats, so alterations & upgrades to specifications take place continually.

Appointed dealers are not agents of Fairline Yachts Ltd & are not authorised to commit Fairline Yachts Ltd by any express or implied undertaking or representation.

Performance Figures: Power quoted in our literature for diesel inboard engines is crankshaft output.

Performance Estimates: Performance estimates are given in good faith but are in no way guaranteed for any particular model. Dirt on the bottom of the boat, damage to the propellers, engine tuning, external water & air temperatures & the weight of crew, fuel & water carried can all adversely affect performance. For those & other reasons we can give no performance guarantees